



AkcelA No. 1 Engine Oil CJ-4 15W-40, 10W-30

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Date of issue: 06/30/2015 Revision date: 03/20/2017 Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Mixtures
Product name : AkcelA No. 1 Engine Oil CJ-4 15W-40, 10W-30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Lubricant
Recommended use : Lubricant
Restrictions on use : No additional information available

1.3. Details of the supplier of the safety data sheet

Viscosity Oil Company
600 H Joliet Road
Willowbrook, IL 60527
T 630-850-4000 - F 630-850-4022

1.4. Emergency telephone number

Emergency number : (800) 434-9300
CHEMTREC (24 HOURS)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Serious eye damage/eye irritation, Category 2A H319
Skin sensitisation, Category 1 H317
Full text of H statements : see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) : Warning
Hazard statements (GHS-US) : H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
Precautionary statements (GHS-US) : P261 - Avoid breathing mist, vapours, spray
P264 - Wash hands thoroughly after handling
P272 - Contaminated work clothing must not be allowed out of the workplace
P280 - Wear protective clothing, protective gloves, eye protection
P302+P352 - If on skin: Wash with plenty of First aid measures
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P321 - Specific treatment (see First aid measures on this label)
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse
P501 - Dispose of contents/container to Collection point

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

6.73% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
6.73% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
6.73% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

AkcelA No. 1 Engine Oil CJ-4 15W-40, 10W-30

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%)	(CAS-No.) 64742-65-0	0 – 60	Asp. Tox. 1, H304
Distillates (petroleum), solvent-refined heavy paraffinic (DMSO < 3%)	(CAS-No.) 64741-88-4	3 – 7	Acute Tox. 4 (Inhalation:dust,mist), H332
Polyamine succinimide	(CAS-No.) trade secret (HMIRA claim # 8771, grant date 4/28/2014)	1 – 2	Skin Sens. 1, H317 Aquatic Chronic 4, H413
Zinc alkyl dithiophosphate	(CAS-No.) 68649-42-3	1 – 2	Eye Dam. 1, H318 Aquatic Chronic 2, H411
Calcium long chain alkaryl sulfonate	(CAS-No.) 722503-69-7	0.1 – 0.5	Skin Sens. 1, H317 Aquatic Chronic 4, H413
Calcium long chain alkaryl sulfonate	(CAS-No.) 722503-68-6	0.1 – 0.5	Skin Sens. 1, H317 Aquatic Chronic 4, H413

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person.
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after skin contact : May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

All treatments should be based on observed signs and symptoms of distress in the patient.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Dry powder. Foam. Carbon dioxide. Water fog.
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Burning produces irritating, toxic and noxious fumes. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours.
- Explosion hazard : Product is not explosive.
- Reactivity : No dangerous reactions known.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid all eye and skin contact and do not breathe vapour and mist. Always approach spills or fires from upwind/uphill.

6.1.1. For non-emergency personnel

- Protective equipment : Chemical goggles or safety glasses. Wear suitable protective clothing and gloves.

AkcelA No. 1 Engine Oil CJ-4 15W-40, 10W-30

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures : Evacuate unnecessary personnel. Stop leak without risks if possible.

6.1.2. For emergency responders

Protective equipment : Chemical goggles or safety glasses. Wear suitable protective clothing and gloves.
Emergency procedures : Stop leak if safe to do so. Ventilate area.

6.2. Environmental precautions

Do not contaminate water when disposing of rinse out or equipment wash water. Do not discharge into drains or the environment.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Small spills: Wipe up with absorbent material (e.g. cloth, fleece).

6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapour and mist. Use personal protective equipment as required. Do not eat, drink or smoke when using this product.
Hygiene measures : Always wash your hands immediately after handling this product, and once again before leaving the workplace. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.
Incompatible products : Strong oxidizers.
Prohibitions on mixed storage : Keep away from incompatible materials.
Storage area : Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)		
ACGIH	ACGIH TWA (mg/m ³)	5 mg/m ³ oil mist
ACGIH	ACGIH STEL (mg/m ³)	10 mg/m ³ oil mist
OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³
Distillates (petroleum), solvent-refined heavy paraffinic (DMSO <3%) (64741-88-4)		
ACGIH	ACGIH TWA (mg/m ³)	5 mg/m ³
Zinc alkyl dithiophosphate (68649-42-3)		
Not applicable		
Calcium long chain alkaryl sulfonate (722503-69-7)		
Not applicable		
Calcium long chain alkaryl sulfonate (722503-68-6)		
Not applicable		
Polyamine succinimide (trade secret (HMIRA claim # 8771, grant date 4/28/2014))		
Not applicable		

8.2. Exposure controls

Appropriate engineering controls : Avoid creating mist or spray. Avoid splashing. Provide local exhaust or general room ventilation. Eyewash stations.
Personal protective equipment : Avoid all unnecessary exposure.
Hand protection : Wear suitable gloves resistant to chemical penetration. Use rubber gloves.
Eye protection : Chemical goggles or safety glasses.

AkcelA No. 1 Engine Oil CJ-4 15W-40, 10W-30

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection	: Long sleeved protective clothing.
Respiratory protection	: Where excessive vapour may result, wear approved mask. Organic vapor cartridge EN 12083. Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material.
Other information	: Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Dark
Odour	: petroleum
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: -30 °C
Boiling point	: No data available
Flash point	: 220 °C
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: 75 - 120 cSt @ 40 °C
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Burning produces irritating, toxic and noxious fumes. Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure	: Skin and eye contact; Inhalation
Acute toxicity	: Not classified

AkcelA No. 1 Engine Oil CJ-4 15W-40, 10W-30

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
Distillates (petroleum), solvent-refined heavy paraffinic (DMSO <3%) (64741-88-4)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	2.18 mg/l/4h
ATE US (vapours)	2.180 mg/l/4h
ATE US (dust,mist)	2.180 mg/l/4h
Zinc alkyl dithiophosphate (68649-42-3)	
LD50 oral rat	3100 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE US (oral)	3100.000 mg/kg bodyweight

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Distillates (petroleum), solvent-refined heavy paraffinic (DMSO <3%) (64741-88-4)	
LC50 fish 1	> 100 mg/l Pimephales promelas 96 hr
ErC50 (algae)	> 100 mg/l
NOEC chronic crustacea	10 mg/l 21 day long-term Daphnia magna reproductive test
Zinc alkyl dithiophosphate (68649-42-3)	
LC50 fish 1	4.4 mg/l 96 h oncorhynchus mykiss
EC50 Daphnia 1	1.2 mg/l 48 h

12.2. Persistence and degradability

AkcelA No. 1 Engine Oil CJ-4 15W-40, 10W-30	
Persistence and degradability	Not established.
Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)	
Persistence and degradability	Not established.
Distillates (petroleum), solvent-refined heavy paraffinic (DMSO <3%) (64741-88-4)	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

AkcelA No. 1 Engine Oil CJ-4 15W-40, 10W-30	
Bioaccumulative potential	Not established.
Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

AkcelA No. 1 Engine Oil CJ-4 15W-40, 10W-30	
Ecology - soil	Not established.

AkcelA No. 1 Engine Oil CJ-4 15W-40, 10W-30

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

Other information : No additional information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Dispose of container in a licensed facility. Emptied container retains vapor and product residue.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated.

Transport by sea

Not regulated.

Air transport

Not regulated.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)
--

Listed on the Canadian DSL (Domestic Substances List) inventory.
--

Distillates (petroleum), solvent-refined heavy paraffinic (DMSO <3%) (64741-88-4)

Listed on the Canadian DSL (Domestic Substances List) inventory.
--

Zinc alkyl dithiophosphate (68649-42-3)
--

Listed on the Canadian DSL (Domestic Substances List) inventory.
--

Calcium long chain alkaryl sulfonate (722503-69-7)

Not listed on the Canadian DSL (Domestic Substances List) inventory.
--

Calcium long chain alkaryl sulfonate (722503-68-6)

Not listed on the Canadian DSL (Domestic Substances List) inventory.
--

Polyamine succinimide (trade secret (HMIRA claim # 8771, grant date 4/28/2014))
--

Not listed on the Canadian DSL (Domestic Substances List) inventory.
--

EU-Regulations

Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)
--

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
--

Distillates (petroleum), solvent-refined heavy paraffinic (DMSO <3%) (64741-88-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
--

Zinc alkyl dithiophosphate (68649-42-3)
--

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
--

Polyamine succinimide (trade secret (HMIRA claim # 8771, grant date 4/28/2014))
--

Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
--

National regulations

AkcelA No. 1 Engine Oil CJ-4 15W-40, 10W-30

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Distillates (petroleum), solvent-dewaxed heavy paraffinic (DMSO < 3%) (64742-65-0)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on KECI (Korean Existing Chemicals Inventory)
Listed on Taiwan National Chemical Inventory
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Distillates (petroleum), solvent-refined heavy paraffinic (DMSO <3%) (64741-88-4)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on KECI (Korean Existing Chemicals Inventory)
Listed on Taiwan National Chemical Inventory
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Zinc alkyl dithiophosphate (68649-42-3)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on KECI (Korean Existing Chemicals Inventory)
Listed on Taiwan National Chemical Inventory
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Not listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Calcium long chain alkaryl sulfonate (722503-69-7)

Polymer exempt from EINECS.
Not listed on the Canadian Non-Domestic Substances List (NDSL).

Calcium long chain alkaryl sulfonate (722503-68-6)

Polymer exempt from EINECS.
Not listed on the Canadian Non-Domestic Substances List (NDSL).

Polyamine succinimide (trade secret (HMIRA claim # 8771, grant date 4/28/2014))

Not listed on the Canadian Non-Domestic Substances List (NDSL).

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Revision date	: 03/20/2017
Data sources	: Chemical Inspection & Regulation Service; accessed at: http://www.cirs-reach.com/Inventory/Global_Chemical_Inventories.html . European Chemicals Agency (ECHA) Registered Substances list. Accessed at http://echa.europa.eu/ . Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. The Organisation for Economic Co-operation and Development (OECD; eChemPortal chemical searches. Accessed at http://www.echemportal.org/echemportal/substancesearch/substancesearchlink.action . TSCA Chemical Substance Inventory. Accessed at http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html .
Other information	: None.

AkcelA No. 1 Engine Oil CJ-4 15W-40, 10W-30

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-statements:

H304	May be fatal if swallowed and enters airways
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H411	Toxic to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life

Abbreviations and acronyms:

	ACGIH (American Conference of Government Industrial Hygienists)
	CAS (Chemical Abstracts Service) number
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling) of Chemicals
	LD50: Lethal Dose for 50% of the test population
	TSCA: Toxic Substances Control Act
	TWA: Time Weighted Average

NFPA health hazard


: 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard

: 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



Indication of changes:

Composition/information on ingredients.

SDS Prepared by: The Redstone Group, LLC
6077 Frantz Rd.
Suite 206
Dublin, OH 43016
T 614-923-7472
www.redstonegrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product